




MIL3000 - calibration and test setups

Simple to setup and operate, powerful functionality




- ✓ MIL-STD-461G CS 115 [calibration](#) and [test](#) setups
- ✓ MIL-STD-461G CS 116 [calibration](#) and [test](#) setups 10 kHz – 10 MHz
- ✓ MIL-STD-461G CS 116 [calibration](#) and [test](#) setups 30 MHz – 100 MHz
- ✓ MIL-STD-461F CS 106 [calibration](#) and [test](#) setups
- ✓ MIL-STD-461C CS06 [calibration](#) and [test](#) setups
- ✓ DO-160 Section 17 [calibration](#) and [test](#) setups
- ✓ DO-160 Section 19 (spikes) [calibration](#) and [test](#) setups




✓ VERI-MIL3 includes both calibration loads (2 x 20 dB/50 Ω) and measurement attenuators (2 x 20 dB/50 Ω)

Overview




✓ I-PROBE-CS can be used

Overview




✓ VERI-MIL3 includes both calibration loads (2 x 20 dB/50 Ω) and measurement attenuators (2 x 20 dB/50 Ω)

[Overview](#)




✓ I-PROBE-CS can be used

Overview




✓ VERI-MIL3 includes both calibration loads (2 x 20 dB/50 Ω) and measurement attenuators (2 x 20 dB/50 Ω)

[Overview](#)





✓ I-PROBE-CS can be used


Overview




MIL3000 + MIL3-SPIKE













MIL3000 + MIL3-SPIKE-SLOW





MIL3000 + MIL3-SPIKE-FAST




VERI5




MIL3000 + MIL3-SPIKE-FAST



MIL3000 + MIL3-SPIKE-FAST






VERI50



CN-MIG-BT5




MIL3000 + MIL3-DO160-S17




✓ Calibration loop included in delivery


Overview



- ✓ For serial injection, parallel capacitor module(s) from DC-S17CL can be used


[Overview](#)






✓ For parallel injection, series inductor(s) from DC-S17CL can be used


[Overview](#)



MIL3000 + MIL3-DO160-S19



Automatic reporting with TEMA3000 and TEMA3000 software modules



Overview



MIL3000 - calibration and test setups

www.emc-partner.com